



Back To Life Chiropractic

4201 W Highway 146 · LaGrange, KY 40031
www.BackToLifeChiropracticKY.com · (502) 241-1122

NUTRITIONAL TEST - BMI

How to Calculate Your BMI: Use Chart Below or go to <http://www.backtolifechiropractic.com/back-to-life-system/back-to-life-system-score-sheets>

Formula: $\text{weight (lb)} / [\text{height (in)}]^2 \times 703$ Calculate BMI by dividing weight in pounds (lbs) by height in inches (in) squared and multiplying by a conversion factor of 703. Example: Weight = 150 lbs, Height = 5'5" (65")

Calculation: $[150 \div (65)^2] \times 703 = 24.96$

USE CHART BELOW

Weight in Pounds

	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250
4'	30.5	33.6	36.6	39.7	42.7	45.8	48.8	51.9	54.9	58.0	61.0	64.1	67.1	70.2	73.2	76.3
4'2"	28.1	30.9	33.7	36.6	39.4	42.2	45.0	47.8	50.6	53.4	56.2	59.1	61.9	64.7	67.5	70.3
4'4"	26.0	28.6	31.2	33.8	36.4	39.0	41.6	44.2	46.8	49.4	52.0	54.6	57.2	59.8	62.4	65.0
4'6"	24.1	26.5	28.9	31.3	33.8	36.2	38.6	41.0	43.4	45.8	48.2	50.6	53.0	55.4	57.9	60.3
4'8"	22.4	24.7	26.9	29.1	31.4	33.6	35.9	38.1	40.4	42.6	44.8	47.1	49.3	51.6	53.8	56.0
4'10"	20.9	23.0	25.1	27.2	29.3	31.3	33.4	35.5	37.6	39.7	41.8	43.9	46.0	48.1	50.2	52.2
5'	19.5	21.5	23.4	25.4	27.3	29.3	31.2	33.2	35.2	37.1	39.1	41.0	43.0	44.9	46.9	48.8
5'2"	18.3	20.1	21.9	23.8	25.6	27.4	29.3	31.1	32.9	34.7	36.6	38.4	40.2	42.1	43.9	45.7
5'4"	17.2	18.9	20.6	22.3	24.0	25.7	27.5	29.2	30.9	32.6	34.3	36.0	37.8	39.5	41.2	42.9
5'6"	16.1	17.8	19.4	21.0	22.6	24.2	25.8	27.4	29.0	30.7	32.3	33.9	35.5	37.1	38.7	40.3
5'8"	15.2	16.7	18.2	19.8	21.3	22.8	24.3	25.8	27.4	28.9	30.4	31.9	33.4	35.0	36.5	38.0
5'10"	14.3	15.8	17.2	18.7	20.1	21.5	23.0	24.4	25.8	27.3	28.7	30.1	31.6	33.0	34.4	35.9
6'	13.6	14.9	16.3	17.6	19.0	20.3	21.7	23.1	24.4	25.8	27.1	28.5	29.8	31.2	32.5	33.9
6'2"	12.8	14.1	15.4	16.7	18.0	19.3	20.5	21.8	23.1	24.4	25.7	27.0	28.2	29.5	30.8	32.1
6'4"	12.2	13.4	14.6	15.8	17.0	18.3	19.5	20.7	21.9	23.1	24.3	25.6	26.8	28.0	29.2	30.4
6'6"	11.6	12.7	13.9	15.0	16.2	17.3	18.5	19.6	20.8	22.0	23.1	24.3	25.4	26.6	27.7	28.9
6'8"	11.0	12.1	13.2	14.3	15.4	16.5	17.6	18.7	19.8	20.9	22.0	23.1	24.2	25.3	26.4	27.5
6'10"	10.5	11.5	12.5	13.6	14.6	15.7	16.7	17.8	18.8	19.9	20.9	22.0	23.0	24.0	25.1	26.1
7'	10.0	11.0	12.0	13.0	13.9	14.9	15.9	16.9	17.9	18.9	19.9	20.9	21.9	22.9	23.9	24.9

BMI

<http://www.freebmicalculator.net>

Underweight
 Nomal
 Overweight
 Obesity

If your BMI is 30.0 and above score yourself a 1. 25.0-29.9 your score is a 2. 18.5-24.9 give yourself a 3.

30.0 and Above

25.0-29.9

18.5-24.9

1
SICKNESS · CRISIS

2
AVERAGE

3.
PREVENTION · WELLNESS

www.BackToLifeChiropracticKY.com

RE-EVALUATE

30 DAYS 45 DAYS 90 DAYS 120DAYS 1/2 YEAR __YEAR

BMI TEST	SCORE	
----------	-------	--

DATE _____ NAME _____



Back To Life Chiropractic

4201 W Highway 146 · LaGrange, KY 40031
www.BackToLifeChiropracticKY.com · (502) 241-1122

NUTRITIONAL TEST - BM

Bowel Movements: Many people believe that the definition of a normal bowel movement is having 1 movement each day, but that is not true for everyone. There is no rule for frequency of bowel movements, but the general range is from **3 times a day** to 3 times a week. Less than 3 movements a week may indicate constipation, and more than 3 watery stools a day could indicate diarrhea. A bowel movement should be soft and easy to pass, though some people may have harder or softer stools than others. **Stool should be brown or golden brown, be formed, have a texture similar to peanut butter, and have a size and shape similar to a sausage.**

Number of Bowel
Movements a day: _____
Type: _____

If your BM is absent, loose, watery or abnormal score yourself a 1. Normal but not every day your score is a 2. Normal bowel 1 to 3 times a day give yourself a 3.

Abnormal

Normal not everyday

Normal everyday

1
SICKNESS · CRISIS

2
AVERAGE

3.
PREVENTION · WELLNESS

www.BackToLifeChiropracticKY.com

RE-EVALUATE

30 DAYS 45 DAYS 90 DAYS 120DAYS 1/2 YEAR __YEAR

DATE _____ NAME _____

BM TEST SCORE



Back To Life Chiropractic

4201 W Highway 146 · LaGrange, KY 40031
www.BackToLifeChiropracticKY.com · (502) 241-1122

NUTRITIONAL TEST - PH BALANCE



Urinate in a cup. Tear off a strip of PH paper or take a PH strip and dip into urine. Read results and compare to chart from PH kit you used. Record results.

PH _____

One test can be done at our office. Strips can be bought at Back to Life Chiropractic, health food stores or online.

Urine pH is used to classify urine as either a dilute acid or base solution. Seven is the point of neutrality on the pH scale. The lower the pH, the greater the acidity of a solution; the higher the pH, the greater the alkalinity. The glomerular filtrate of blood is usually acidified by the kidneys from a pH of approximately 7.4 to a pH of about 6 in the urine. Depending on the person's acid-base status, the pH of urine may range from 4.5 to 8.

Secretion of an acid or alkaline urine by the kidneys is one of the most important mechanisms the body uses to maintain a constant body pH.

PH

If your PH is 4.5-6.25 score yourself a 1. 6.5-6.75 your score is a 2. 7.0-7.5 give yourself a 3.

4.5-6.25

6.5-6.75

7.0-7.5

1 SICKNESS · CRISIS	2 AVERAGE	3. PREVENTION · WELLNESS
www.BackToLifeChiropracticKY.com		

RE-EVALUATE

30 DAYS 45 DAYS 90 DAYS 120DAYS 1/2 YEAR __YEAR

PH TEST	SCORE	
---------	-------	--

DATE _____ NAME _____



Back To Life Chiropractic

4201 W Highway 146 · LaGrange, KY 40031
 www.BackToLifeChiropracticKY.com · (502) 241-1122

NUTRITIONAL TEST - ZYTO






Schedule a time to be scanned at Back to Life Chiropractic or other ZYTO owner.
 Get scanned.

Take report and score yourself below. Circle on your Zyto Advanced Report the Meridians out of range, pF factors out of range, and Organ biomarkers out of range.



Circle Out of Range Markers and total up :



If your ZYTO has no results score yourself a 1. 1 to 2 results your score is a 2. 3 or greater give yourself a 3.

3 or greater results

1 to 2 results

No Results

1
SICKNESS · CRISIS

2
AVERAGE

3.
PREVENTION · WELLNESS

www.BackToLifeChiropracticKY.com

RE-EVALUATE

30 DAYS 45 DAYS 90 DAYS 120DAYS 1/2 YEAR __YEAR

ZYTO TEST

SCORE

DATE _____ NAME _____



Back To Life Chiropractic

4201 W Highway 146 · LaGrange, KY 40031
 www.BackToLifeChiropracticKY.com · (502) 241-1122

CARDIO TEST - BP

Blood Pressure: ____ / ____

Blood Pressure can be done at our office. See graphs about BP below:

Blood Pressure Category	Systolic (top #) (mm Hg)		Diastolic (bottom #)
Normal	less than 120	and	less than 80
Prehypertension	120–139	or	80–89
High			
Stage 1	140–159	or	90–99
Stage 2	160 or higher	or	100 or higher

If your BP is greater than 140/99 score yourself a 1. 120-139/80-89 your score is a 2. Less than 120/less than 80 give yourself a 3.

Greater than 140/99

120-139/80-89

Less than 120/80

1 SICKNESS · CRISIS	2 AVERAGE	3. PREVENTION · WELLNESS
www.BackToLifeChiropracticKY.com		

RE-EVALUATE

30 DAYS 45 DAYS 90 DAYS 120DAYS 1/2 YEAR __YEAR

BP TEST	SCORE	
----------------	--------------	--

DATE _____ NAME _____



Back To Life Chiropractic

4201 W Highway 146 · LaGrange, KY 40031
 www.BackToLifeChiropracticKY.com · (502) 241-1122

CARDIO TEST - THR SubMax Test with a step

Figure out you Maximum Heart Rate (MHR) by doing $220 - \text{your age} = \underline{\hspace{2cm}}$

Cardiovascular with a Heart Rate Monitor with a Step:

The SubMax Step Test. Use a 6" to 8" step (almost any step in your home or in a club will do) and perform a 3-minute step test. After your warm-up, step up and down in a four-count sequence as follows: right foot up, left up, right down, left down. Each time you move a foot up or down, it counts as one step. Count "up, up, down, down" for one set, with 20 sets to the minute. It is very important that you don't speed up the pace--keep it regular. After 2 minutes, you'll need to monitor your heart rate for the last minute. The SubMax Step Test now can be used to predict your MHR for your current condition if you were in excellent shape.

Add to your last minute's heart rate average the following number: **Excellent Shape: +75 bpm**

1. Poor Shape: if you are over your MHR by +20 bpm
 2. Average Shape: if you are over your MHR +10 bpm
 3. Excellent Shape: less than 10 bpm off MHR
- Your result should be pretty close to your Max HR.

Your SubMax Result:	
75 +	=

If your SubMax test is 20 bpm over your THR score yourself a 1. SubMax test is 10-20 bpm over your MHR score is a 2. SubMax test is less than 10 bpm off give yourself a 3.

Poor Shape

Average Shape

Excellent Shape

1
SICKNESS · CRISIS

2
AVERAGE

3.
PREVENTION · WELLNESS

www.BackToLifeChiropracticKY.com

RE-EVALUATE

30 DAYS 45 DAYS 90 DAYS 120DAYS 1/2 YEAR __YEAR

THR-SubMax with a step TEST

SCORE

DATE _____ NAME _____



Back To Life Chiropractic

4201 W Highway 146 · LaGrange, KY 40031
 www.BackToLifeChiropracticKY.com · (502) 241-1122

CARDIO TEST - THR Mile Test

Cardiovascular (without heart rate monitor): The Cooper Institute in Dallas recommends using this method for those **who take medication** that affects heart rate or those who don't want to use a heart-rate monitor. This really is one of the easiest ways to test your cardio fitness.

Measure a mile on an athletic field track (usually four laps) or on one of your neighborhood streets (use your car's odometer to clock the distance). Using a stopwatch or watch with a second hand, walk the mile as fast as you can without running. Note the time and compare your results with the chart to right and record results:

	Under 40		Over 40	
	Men	Women	Men	Women
Excellent	13:00 or less	13:30 or less	14:00 or less	14:30 or less
Good	13:01-15:30	13:31-16:00	14:01-16:30	14:31-17:00
Average	15:31-18:00	16:01-18:30	16:31-19:00	17:01-19:30
Below Average	18:01-19:30	18:31-20:00	19:01-21:30	19:31-22:00
Poor	19:31 or more	20:01 or more	21:31 or more	22:01 or more

Track time: _____

If your score in below average to poor score yourself a 1. Good to Average score is a 2. Excellent give yourself a 3.

Below AVG to Poor

Good to Average

Excellent

1
SICKNESS · CRISIS

2
AVERAGE

3.
PREVENTION · WELLNESS

www.BackToLifeChiropracticKY.com

RE-EVALUATE

30 DAYS 45 DAYS 90 DAYS 120DAYS 1/2 YEAR __YEAR

THR-Mile TEST

SCORE

DATE _____ NAME _____



Back To Life Chiropractic

4201 W Highway 146 · LaGrange, KY 40031
 www.BackToLifeChiropracticKY.com · (502) 241-1122

FLEXIBILITY TEST - ROM

Flexibility of Neck, Mid and Low Back:

Do by eyeball, get measured by ROM diagnostic equipment or **come into our office and be measured by Millennium ROM**. Write results in box next to normal values. Graphs to be filled out BELOW:

Option of Flexibility of Mid Back:

Keep knees locked and touched the ground with your hands. Record results:

Neck Range of Motion	Normal	Impairment	
	Actual		
Flexion (head forward)	50		
Extension (head back)	60		
Left Rotation	80		
Right Rotation	80		
Left Lateral Flexion (ear to shoulder)	45		
Right Lateral Flexion (ear to shoulder)	45		

Mid Back Range of Motion	Normal	Impairment	
	Actual		
Flexion (knees locked-touch)	50		
Left Rotation (bend forward and to the left)	30		
Right Rotation (bend forward and to the right)	30		

Low Back Range of Motion	Normal	Impairment	
	Actual		
Flexion (knees locked-touch)	60		
Extension (bend back)	25		
Left Lateral Flexion (bend to left)	25		
Right Lateral Flexion (bend to right)	25		

Option 2:

Inches from floor: _____
 Touch the floor: 3 Wellness
 5 inches or less: 2 Average
 5 inches or more: 1 Crisis

Actual divided by normal=impairment

If your ROM is full in all 3 regions score yourself a 3.
 Less than 20% impairment in any region score yourself a 2.
 Greater than 20% impairment in any region give yourself a 1.

< THAN 20%

LESS THAN 20°OFF

FULL ROM

1
SICKNESS · CRISIS

2
AVERAGE

3.
PREVENTION · WELLNESS

www.BackToLifeChiropracticKY.com

RE-EVALUATE

30 DAYS 45 DAYS 90 DAYS 120DAYS 1/2 YEAR __YEAR

ROM TEST	SCORE	
----------	-------	--

DATE _____ NAME _____



Back To Life Chiropractic

4201 W Highway 146 · LaGrange, KY 40031
 www.BackToLifeChiropracticKY.com · (502) 241-1122

STRENGTH TEST - MRULFB

Strength UPPER AND LOWER BODY: Lift *MINIMUM RESISTANCE:* weight (10lbs) or elastic band (blue Synergy at our office) 8 times (reps) and **check if performed every week (2 to 3 times a week).**

Bench Press: _____ Biceps Curl: _____ Triceps Curl: _____ Reverse Fly: _____

Quadriceps: _____ Hamstrings: _____ Calves: _____ each 2 to 3 X a week

Neck Muscles: Using a 22cm Synergy ball (or comparable size) available at our office do minimum (3 times) amount of reps 2 to 3 times a week: _____ 2 to 3 X a week

STRENGTH FRONT: Abdominals: Do minimum (20 times) sit-ups at one time without rest 2 to 3 times a week. Check if performed.

Sit Ups: _____ 2 to 3 X a week

STRENGTH BACK: Back Extensors: Do minimum (8 times) back extension exercises 2 to 3 times a week. Check if performed.

Superman Exercise: _____ or Elastic Band Back Extension Exercise: _____
 2 to 3 X a week

See Rehab Sheet for Picture of Exercises at connectingtowellness.com

If you performed all upper, lower, front and back exercises, MRULFB, with minimum resistance 2 to 3 times a week score yourself a 3. MRULFB once a week score is a 2. MRULFB less than every week or can not do minimum resistance score yourself a 1.

MRULFB not performed weekly

MRULFB > than 2to3 week

MRULFB Performed

1 SICKNESS · CRISIS	2 AVERAGE	3. PREVENTION · WELLNESS
www.BackToLifeChiropracticKY.com		

RE-EVALUATE

30 DAYS 45 DAYS 90 DAYS 120DAYS 1/2 YEAR __ YEAR

MRULFB TEST	SCORE	
-------------	-------	--


DATE _____ NAME _____




Back To Life Chiropractic

4201 W Highway 146 · LaGrange, KY 40031
 www.BackToLifeChiropracticKY.com · (502) 241-1122

STRENGTH TEST - SEMG



1. Have a SEMG scan from a diagnostic center or clinic that has capability or make an appointment at our office for scan.



OPTION 1:
 (SCORE PRINTED)
 Write Results from *SEMG Scan*:
 Score _____

OPTION 2:
 (NO SCORE PRINTED)
CHECK RESULTS FROM SCAN:
 BLACK/RED: CRISIS
 BLUE/GREEN: AVERAGE
 WHITE: WELLNESS
 MARK SCORE BELOW

If your total score adds up to 80-100 score yourself a 3. 55-79 score is a 2. 0-54 score yourself a 1.

1 SICKNESS · CRISIS	2 AVERAGE	3. PREVENTION · WELLNESS
www.BackToLifeChiropracticKY.com		

RE-EVALUATE

30 DAYS 45 DAYS 90 DAYS 120DAYS 1/2 YEAR __ YEAR

SEMG TEST	SCORE	
-----------	-------	--

DATE _____ NAME _____




Back To Life Chiropractic

4201 W Highway 146 · LaGrange, KY 40031
 www.BackToLifeChiropracticKY.com · (502) 241-1122

POSTURE TEST - VISUAL

Posture: Posture simply refers to the alignment of your body. If you had perfect posture the forces of gravity would be distributed equally throughout your body and there wouldn't be too much stress on any one joint, ligament or muscle.

Stand with your feet shoulder width apart, toes pointing straight to the front. Your knees should be aligned with your ankles, keep a slight bend in the knee and avoid "locking" them. Your hips should be in line with your knees and your pelvis should be in a neutral position. If you were to imagine that your pelvis was a bowl of water, neutral would be the place where the water wasn't spilling out to the back or to the front. Keep your abdominal muscles tight and draw your shoulders back so that they are also in line with your hips. Your ears should be over your shoulders and chin parallel to the floor.



Visually check (✓) if your posture is like the Posture Charts:

Side Posture: Head _____ Shoulders _____ Pelvic _____ Knees _____ Ankle _____

Front Posture: Eyes _____ Shoulders _____ Pelvic _____ Knees _____ Feet _____

If you need help seek the help of someone who evaluates posture or make an appointment at our office to be evaluated.

If you checked all the regions above score yourself a 3. If you left one to two regions unchecked score is a 2. If you unchecked more than 2 regions give yourself a 1.

> 2 Regions Unchecked 1to2 Regions Unchecked All Regions Checked

1 SICKNESS · CRISIS	2 AVERAGE	3. PREVENTION · WELLNESS
-------------------------------	---------------------	------------------------------------

www.BackToLifeChiropracticKY.com

RE-EVALUATE

30 DAYS 45 DAYS 90 DAYS 120DAYS 1/2 YEAR __ YEAR

DATE _____ NAME _____


VISUAL TEST	SCORE	
-------------	-------	--




Back To Life Chiropractic

4201 W Highway 146 · LaGrange, KY 40031
 www.BackToLifeChiropracticKY.com · (502) 241-1122

POSTURE TEST - X-RAY EVALUATION



Lateral
and
AP
X-Ray
Analysis



Have X-Ray Analysis of any region of interest to see if in normal range (lateral and AP views).

Score yourself:

- **Cervical Radiographs:** Lateral ___° and AP ___°. Check if normal:
- **Thoracic Radiographs:** Lateral ___° and AP ___°. Check if normal:
- **Lumbar Radiographs:** Lateral ___° and AP ___°. Check if normal:

If you checked all the regions above score yourself a 3. If you left one region unchecked score is a 2.
 If you unchecked more than 2 regions give yourself a 1.

> 1 Region Unchecked

1 Region Unchecked

All Regions Checked

1
SICKNESS · CRISIS

2
AVERAGE

3.
PREVENTION · WELLNESS

www.BackToLifeChiropracticKY.com

RE-EVALUATE

30 DAYS 45 DAYS 90 DAYS 120DAYS 1/2 YEAR __ YEAR

X-RAY TEST	SCORE	
------------	-------	--


DATE _____ NAME _____




Back To Life Chiropractic

4201 W Highway 146 · LaGrange, KY 40031
 www.BackToLifeChiropracticKY.com · (502) 241-1122

NERVOUS SYSTEM TEST - THERMAL SCAN



1. Have a thermal scan from a diagnostic center or clinic that has capability or make an appointment at our office for scan.



OPTION 1:
 (SCORE PRINTED)
 Write Results from *THERMAL Scan*:
 Score _____

OPTION 2:
 (NO SCORE PRINTED)
CHECK RESULTS FROM SCAN:
 BLACK/RED: CRISIS
 BLUE/GREEN: AVERAGE
 WHITE: WELLNESS
 MARK SCORE BELOW

If your total score adds up to 80-100 score yourself a 3. 55-79 score is a 2. 0-54 score yourself a 1.

0-54

55-79

80-100

1 SICKNESS · CRISIS	2 AVERAGE	3. PREVENTION · WELLNESS
www.BackToLifeChiropracticKY.com		

RE-EVALUATE

30 DAYS 45 DAYS 90 DAYS 120DAYS 1/2 YEAR __ YEAR

THERMAL TEST	SCORE	
--------------	-------	--


DATE _____ NAME _____



Back To Life Chiropractic


4201 W Highway 146 · LaGrange, KY 40031
 www.BackToLifeChiropracticKY.com · (502) 241-1122

NERVOUS SYSTEM TEST - Hearth Math Pulse Wave



1. Have a PULSE WAVE PROFILE scan from a diagnostic center or clinic that has capability or make an appointment at our office for PWP test.

Coherence Level Ratio



If your total score in the High Coherence section adds up to 80-100 score yourself a 3. 55-79 score is a 2. 0-54 score yourself a 1.

0-54

55-79

80-100

1
SICKNESS · CRISIS

2
AVERAGE

3.
PREVENTION · WELLNESS

www.BackToLifeChiropracticKY.com

RE-EVALUATE

30 DAYS 45 DAYS 90 DAYS 120DAYS 1/2 YEAR __ YEAR

DATE _____ NAME _____

PULSE TEST


SCORE




Back To Life Chiropractic

4201 W Highway 146 · LaGrange, KY 40031
 www.BackToLifeChiropracticKY.com · (502) 241-1122

NERVOUS SYSTEM TEST - Insight PULSE WAVE



1. Have a PULSE WAVE PROFILE scan from a diagnostic center or clinic that has capability or make an appointment at Back to Life Chiropractic for PWP test.



Write Results from *PWP test*:

Autonomic Activity Index: _____

Autonomic Balance Index: _____

Total Score _____

If your total score adds up to 80-100 score yourself a 3. 55-79 score is a 2. 0-54 score yourself a 1.

0-54

55-79

80-100

1
SICKNESS · CRISIS

2
AVERAGE

3.
PREVENTION · WELLNESS

www.connectingtowellness.com

RE-EVALUATE

30 DAYS 45 DAYS 90 DAYS 120DAYS 1/2 YEAR __ YEAR

DATE _____ NAME _____

PULSE TEST	SCORE	
------------	-------	--





Back To Life Chiropractic

4201 W Highway 146 · LaGrange, KY 40031
 www.BackToLifeChiropracticKY.com · (502) 241-1122

ARCHES TEST - SCAN

Arches of Feet: Feet have 3 normal arches: Your feet are the foundation of your body. They support you when you stand, walk, or run. And they help protect your spine, bones, and soft tissues from damaging stress as you move around. Your feet perform better when all their muscles, arches, and bones are in their ideal stable positions. The foot is constructed with **three arches** which, when properly maintained, give exceptional supportive strength. These three arches form a supporting vault that distributes the weight of the entire body. If there is compromise of one arch in the foot, the other arches must compensate and are subject to additional stresses, which usually leads to further compromise. A lose of the arch of the foot causes the knee and hip to rotate internally leading to knee, hip and back problems.



FOOT SCAN: Have foot scanned at a center that has diagnostic equipment. Schedule a time to be scanned at our office.

Results of SCAN:

RIGHT FOOT: Normal or Abnormal

LEFT FOOT: Normal or Abnormal

Both feet are normal score yourself a 3 or if you wear custom made orthotics everyday. One foot normal score yourself a 2 or if you wear some type of generic orthotic or arch support everyday. Both feet abnormal score yourself a 1 and wear no type of orthotic or arch support.

Both Feet Abnormal

One Foot Normal

Both Feet Normal

1
SICKNESS · CRISIS

2
AVERAGE

3.
PREVENTION · WELLNESS

www.BackToLifeChiropracticKY.com

RE-EVALUATE

30 DAYS 45 DAYS 90 DAYS 120DAYS 1/2 YEAR __ YEAR

DATE _____ NAME _____

SCAN TEST	SCORE	
-----------	-------	--




Back To Life Chiropractic

4201 W Highway 146 · LaGrange, KY 40031
 www.BackToLifeChiropracticKY.com · (502) 241-1122

ARCHES TEST - VISUAL

Arches of Feet: Feet have 3 normal arches: Your feet are the foundation of your body. They support you when you stand, walk, or run. And they help protect your spine, bones, and soft tissues from damaging stress as you move around. Your feet perform better when all their muscles, arches, and bones are in their ideal stable positions. The foot is constructed with **three arches** which, when properly maintained, give exceptional supportive strength. These three arches form a supporting vault that distributes the weight of the entire body. If there is compromise of one arch in the foot, the other arches must compensate and are subject to additional stresses, which usually leads to further compromise. A lose of the arch of the foot causes the knee and hip to rotate internally leading to knee, hip and back problems.




VISUAL CHECK: CIRCLE ANY OF THE RED FLAGS TO RIGHT

Results of VISUAL CHECK:

RIGHT FOOT: Normal or Abnormal

LEFT FOOT: Normal or Abnormal



Both feet are normal score yourself a 3 or if you wear custom made orthotics everyday. One foot normal score yourself a 2 or if you wear some type of generic orthotic or arch support everyday. Both feet abnormal score yourself a 1 and wear no type of orthotic or arch support.

Both Feet Abnormal

One Foot Normal

Both Feet Normal

1
SICKNESS · CRISIS

2
AVERAGE

3.
PREVENTION · WELLNESS

www.BackToLifeChiropracticKY.com

RE-EVALUATE

30 DAYS 45 DAYS 90 DAYS 120DAYS 1/2 YEAR __ YEAR

DATE _____ NAME _____

SCAN TEST	SCORE	
-----------	-------	--




Back To Life Chiropractic

4201 W Highway 146 · LaGrange, KY 40031
 www.BackToLifeChiropracticKY.com · (502) 241-1122

NUTRITIONAL TEST - Hip/Waist Ratio WHR

The waist circumference is measured at a level midway between the lowest rib and the iliac crest and the hip circumference at the level of the great trochanter, with the legs together. The waist-hip ratio equals the waist circumference divided by the hip circumference or measured simply at the smallest circumference of the natural waist, usually just above the belly button, and the hip circumference may likewise be measured at its widest part of the buttocks or hip.



Waist Measurement: _____ divided by Hip Measurement: _____

WM _____ / HP _____ = WHR

The Centers for Disease Control and Prevention (CDC) states that **women with a ratio of .80 or less is considered safe.** And that **men with a ratio of .90 or less is considered safe.**^[5]

Waist to Hip Ratio Chart

Male	Female	Health Risk Based Solely on WHR
0.95 or below	0.80 or below	Low Risk
0.96 to 1.0	0.81 to 0.85	Moderate Risk
1.0+	0.85+	High Risk

If your WHR is High Risk score yourself a 1. If your WHR is Moderate Risk score yourself a 2. If your WHR is Low Risk score yourself a 3.

High Risk WHR

Moderate Risk WHR

Low Risk WHR

1 SICKNESS · CRISIS	2 AVERAGE	3. PREVENTION · WELLNESS
-------------------------------	---------------------	------------------------------------

www.BackToLifeChiropracticKY.com

RE-EVALUATE

30 DAYS 45 DAYS 90 DAYS 120DAYS 1/2 YEAR __ YEAR

DATE _____ NAME _____

BM TEST	SCORE	
---------	-------	--