

Biomega-1000™ Biomega-500™ Biomega-3 Liquid™

ESSENTIAL FATTY ACIDS



Biomega-1000™, Biomega-500™ and Biomega-3 Liquid™

provide potent doses of omega-3 essential fatty acids (EFAs), sourced from the cold Pacific waters off the coast of South America, which guarantees the freshest raw material available, full traceability of the products and unparalleled purity. **Biomega-1000™** supplies 570 mg of eicosapentaenoic acid (EPA) and 430 mg of docosahexaenoic acid (DHA) per capsule. **Biomega-500™** supplies 285 mg of eicosapentaenoic acid (EPA) and 215 mg of docosahexaenoic acid (DHA) per capsule. **Biomega-3 Liquid™** supplies 1450 mg of eicosapentaenoic acid (EPA) and 1040 mg of docosahexaenoic acid (DHA) per teaspoon serving.

Health Benefits

EFAs play an integral role in the optimal functioning of our bodies and build the foundation for overall health. They are required for the formation of cell membranes and are essential for cerebral and neurological development and functioning. EFAs are also necessary for the production of eicosanoids, which are collectively responsible for regulating blood pressure and viscosity, and supporting healthy immune and inflammatory responses. They have also been shown to improve the biodiversity of the gut.

EFAs support the following:

- Neurological Health (mood, focus and memory)
- Emotional Health
- Cardiovascular Health
- Immune System Health
- Cell Membrane Health (hair, skin and nails)
- Inflammatory Response

The Biomega Difference

For over 40 years, Biotics Research Corporation has been a leader in the nutritional supplements industry by providing the highest quality products, continually surpassing industry standards with rigorous lab testing procedures and top-notch sourcing of raw materials.

*It doesn't get
any fresher
than this...*



(800) 437-1298

Viotron International
8122 E Fulton Street
Ada, MI 49301
info@viotron.com
www.viotron.com

Biomega-1000™ Biomega-500™ Biomega-3 Liquid™

ESSENTIAL FATTY ACIDS



Freshest Raw Material

Unlike other fish oils that can be harvested continents away from fish oil processing plants, **Biomega-1000™**, **Biomega-500™** and **Biomega-3 Liquid™** fish oils are produced in a state-of-the-art facility strategically located near the fishing resource on the coastline of Chile. This guarantees the freshest fish oil available.

Unparalleled Purity

Biomega-1000™, **Biomega-500™** and **Biomega-3 Liquid™** are sourced from fish oils that not only pass GOED (Global Organization for EPA and DHA) standards with flying colors, but also have the lowest levels of contaminants, environmental pollutants, heavy metals and oxidation parameters. All concentrates are consistently below 5 in TOTOX. Also, the oils contained in **Biomega-1000™**, **Biomega-500™** and **Biomega-3 Liquid™** have the best sensory profile, which means their evaluations assessing fishy, metallic or pungent profiles receive the highest grades.⁽¹⁾ In addition to the quality testing performed by the raw material provider, Biotics Research tests each batch of fish oil in their own state-of-the-art laboratory to ensure the promised freshness, purity and efficacy.

Full Traceability

With more and more people concerned about the source of their supplements, Biotics Research offers full traceability to the fish from which the oils in **Biomega-1000™**, **Biomega-500™** and **Biomega-3 Liquid™** are derived.



The source of **Biomega-1000™**, **Biomega-500™** and **Biomega-3 Liquid™** fish oil is certified by ORIVO, an NMR-based (nuclear magnetic resonance) laboratory test, which verifies a marine ingredient's authenticity based on species and geographic origin.

VERY LOW IN CONTAMINANTS AND ENVIRONMENTAL POLLUTANTS

Max. values in GOED monograph or EU directive v/s Biomega-1000™ typical values

Benzo(a)pyrene	
EU or GOED monograph (ug/kg)	2
Biomega-1000™ (ug/kg)	0,5

Sum of Benzo(a)pyrene, Benzo(a)anthracene, Benzo(b)fluoranthene and Chrysene	
EU or GOED monograph (ug/kg)	10
Biomega-1000™ (ug/kg)	2

PCB 209 Congeners (28, 52, 101, 118, 138, 153 & 180 included)	
EU or GOED monograph (mg/kg)	0,09
Biomega-1000™ (mg/kg)	0,002

Dioxins and Furans (WHO-PCDD/F-TEQ)	
EU or GOED monograph (pg/kg)	1,75
Biomega-1000™ (pg/kg)	0,35

Dioxins, Furans and Dioxin-like PCBs	
EU or GOED monograph (pg/g)	3
Biomega-1000™ (pg/g)	0,55

Biomega-1000™ Biomega-500™ Biomega-3 Liquid™

ESSENTIAL FATTY ACIDS



VERY LOW IN HEAVY METALS

Max. values in GOED monograph v/s Biomega-1000™ typical values

Lead (Pb)	
GOED monograph (mg/kg)	0,1
Biomega-1000™ (mg/kg)	0,001
Cadmium (Cd)	
GOED monograph (mg/kg)	0,1
Biomega-1000™ (mg/kg)	0,001
Mercury (Hg)	
GOED monograph (mg/kg)	0,1
Biomega-1000™ (mg/kg)	0,001
Arsenic (AS)	
GOED monograph (mg/kg)	0,1
Biomega-1000™ (mg/kg)	0,01

VERY LOW IN OXIDATION PARAMETERS

Max. values in GOED monograph vs. Biomega-1000™ typical values

Peroxide value (POV)	
GOED monograph (Meq/Kg)	5
Biomega-1000™ (Meq/Kg)	0,5
Anisidine value (p-AV)	
GOED monograph	20
Biomega-1000™	5
Total oxidation (2POV + p-AV)	
GOED monograph	26
Biomega-1000™	5

Therapeutic Potency

Biomega-1000™ capsules deliver an impressive 1,000 mg of omega-3 oils, making it the ideal choice for therapeutic dosing of the essential fatty acids, EPA and DHA.

Triglyceride Form

Biomega-1000™, **Biomega-500™** and **Biomega-3 Liquid™** use only the triglyceride form of fish oil versus ethyl ester or monoglyceride forms. The potency of fish oil is important, but at Biotics Research Corporation, we believe the form of fish oil should be delivered in its most natural state. The human body is accustomed to digesting and absorbing EPA and DHA in the natural triglyceride form, and it appears this natural form allows for greater absorption and bioavailability. Studies show the triglyceride form of fish oil was hydrolyzed by pancreatic lipase 12 to 15 times faster than the EE form.⁽²⁾ Some companies, however, choose the ethyl ester form to save on cost. But according to a review of evidence reported in the journal, Progress in Lipid Research, apparent bioavailability seems to be lowest for the ethyl ester form.⁽³⁾ Other studies confirm that the triglyceride form of fish oil is more efficiently digested and 70% more absorbable than the ethyl ester form.⁽⁴⁾ When given identical doses of EPA and DHA, a higher increase in the omega-3 index was reported when consumed as triglycerides versus ethyl esters.⁽⁵⁾

The ORIVO seal assures that **Biomega-1000™**, **Biomega-500™** and **Biomega-3 Liquid™** are made from anchovy from a sustainable fishery off the coast of South America.

Biomega-1000™ Biomega-500™ Biomega-3 Liquid™

ESSENTIAL FATTY ACIDS



OmniPure TG® Guarantee

Biomega-1000™, **Biomega-500™** and **Biomega-3 Liquid™** come with the OmniPure TG® guarantee, which means “purity is our priority from catch to capsule”.

While many fish oils require rigorous processing to attain industry standards of purity, **Biomega-1000™**, **Biomega-500™** and **Biomega-3 Liquid™** contain oil that is naturally pure due to a constant freshness from the time the fish is caught until the oil is packaged, and beyond. **Biomega-1000™**, **Biomega-500™** and **Biomega-3 Liquid™** are processed a short distance from harvest, eliminating travel time and vulnerability to rancidity. Unique and gentle patented processes are used to purify the fish oil from contaminants, yielding a colorless oil with record-setting low TOTOX levels. Testing continues every step of the way, even after the oil is encapsulated to ensure freshness and purity. the fish oil from contaminants, yielding a colorless oil with record-setting low TOTOX levels. Testing continues every step of the way, even after the oil is encapsulated, to ensure freshness and purity.

Biotics Research Corporation takes the purity and sustainability of fish oil seriously, and is proud to be the first professional supplement brand to partner with both Orivo and GOED.

Biomega-1000™, **Biomega-500™** and **Biomega-3 Liquid™** marine lipid concentrates conform with the following certifications:



References

1. <http://www.sciencedirect.com/science/article/pii/S0308814610006072>
2. Lang, L-Y, A. Kuksis, and J. J. Myher. Lipolysis of menhaden oil triacylglycerols and the corresponding fatty acid alkyl esters by pancreatic lipase in vitro: a reexamination. *J. Lipid Res.* 1990;31:137-148.
3. (*Prog Lipid Res.* 2014 Oct;56:92-108. doi: 10.1016/j.plipres.2014.09.001. Epub 2014 Sep 16.)
4. (Dyerberg J, Madsen P, Møller JM, Aardestrup I, Schmidt EB. Bioavailability of marine n-3 fatty acid formulations. *Prostaglandins Leukot Essent Fatty Acids.* 2010 Sep;83(3):137-41).
5. Neubronner J, Schuchardt JP, Kressel G, Merkel M, von Schacky C, Hahn A. Enhanced increase of omega-3 index in response to longterm n-3 fatty acid supplementation from triacylglycerides versus ethyl esters. *Eur J Clin Nutr.* 2011;65(2):247-54.

(800) 437-1298 | www.viotron.com